Name

Date

- If $f(x) = x^{\frac{1}{3}}$, then which one of the following is equal to f'(a)?
 - a) $\lim_{a \to 0} \frac{(a+h)^{1/3} a^{1/3}}{h}$
 - b) $\lim_{h\to 0} \frac{(\frac{1}{x})^3 (\frac{1}{a})^3}{h}$
 - c) $\lim_{h\to 0} \frac{(x+h)^{1/3} h^{1/3}}{h}$
 - $\mathrm{d}) \ \lim_{x \to a} x^{1/3}$
 - e) $\lim_{x \to a} x^{2/3}$
- What is $\lim_{h\to 0} \frac{\sqrt{9+h}-\sqrt{9}}{h}$?
 - a) $\frac{1}{18}$ b) $\frac{1}{6}$

- d) 18 e) $\frac{1}{2\sqrt{9+h}}$
- $\lim_{h\to 0} \frac{\frac{1}{x+h} \frac{1}{x}}{h} =$
- a) $\frac{1}{x^2}$ b) $-x^2$ c) $-\frac{1}{x^2}$ d) x^2
- If $f(x) = \sqrt{x+2}$, then which one of the following is equal to f'(x)?
 - a) $\lim_{h\to 0} \frac{\sqrt{x+h+2}-\sqrt{x+2}}{2}$
 - b) $\lim_{h\to 0} \frac{\sqrt{x+h+2}-\sqrt{x+2}}{h}$
 - c) $\lim_{h\to 0} \frac{\sqrt{x+h+2-(x+2)}}{h}$
 - d) $\lim_{x \to 2} \frac{\sqrt{x+2} \sqrt{h+2}}{h}$
 - e) $\lim_{x \to 2} \frac{\sqrt{x+h+2} \sqrt{h}}{h}$
- $\lim_{h \to 0} \frac{(x+h)^4 x^4}{h} =$
- a) 4x b) $3x^4$ c) $4x^3$ d) $3x^3$

A function f is given by the table shown.

Estimate f'(5.5):

x	3.7	4.3	4.9	5.5	6.1
f(x)	1.8	3.4	4.6	6.4	8.4

- a) 0.316
- b) 3.167
- c) 0.300


- d) 6.400
- e) 0.297
- The table shows the position of an object moving along a line at 10 second intervals.

Estimate the velocity, in units/sec, at t = 35.

t(sec)	0	10	20	30	40
position	4	12	26	44	68


- a) 0.417
- b) 2.400
- c) -2.400

- d) 11.200
- e) 3.842
- At which of the five points shown on the graph is $\frac{dy}{dx}$ positive? Choose the best answer.




- a) A and E
- b) D only
- c) C only
- d) C, D, and E
- e) E only
- At which of the five points shown on the graph is $\frac{dy}{dx}$ negative? Choose the best answer.
 - a) A and B
- b) B only
- c) C only
- d) C, D, and E
- e) D only

10.




Given the graph of f shown above, which of the following is the graph of the derivative, f'?


a)




b)




c)




d)



e)



11.



Which of the following tables best goes with the graph of f shown?

a)	x	f'(x)
	a	0
	b	0
	c	4

b)	x	f'(x)
	a	0
	b	0
	c	-2

c)	x	f'(x)
	a	does not exist
	b	0
	c	6.2

d)	x	f'(x)		
	a	does not exist		
	b	does not exist		
	c	-1		

12. What is the average rate of change over $2 \le t \le 4$?

t	2	3	4	5	6
f(t)	1.8	3.4	4.6	6.4	8.4

- a) 2.8
- b) 1.4
- c) -2.8

- d) -1.4
- e) 0.714

13. What is the average rate of change over $4 \le t \le 6$?

t	2	3	4	5	6
f(t)	1.8	3.4	4.6	6.4	8.4


- a) 3.8
- b) 1.9
- c) -3.8

- d) -1.9
- e) 0.526
- 14. The position of an object is given by $s=t^2+5t-20$. What is its average velocity for $1 \le t \le 3$?
 - a) -5
- b) 5
- d) -
- e) 6
- 15. The position of an object is given by $s=t^2-4t+7.$ What is its average velocity over $[t,t+\Delta t]$?

c) 9

- a) $t^2 4$
- b) $t^2 4t$
- c) 2t 4
- d) 2t
- e) not enough information
- 16. Given the position function $s = t^3 + 5t 1$, what is the instantaneous rate of change at t = 2?
 - a) $3t^2 + 5$
- b) $3t^2$
- c) 12

- d) 17
- e) 16
- 17. The graph f(x) has horizontal tangents when x =



- a) -3, 0, 3
- b) -4, 2
- c) -4, -2, 2, 4
- d) -4, -2, 4

e) 2, 4

Acces format version 3.60B (c) 1997–2003 EducAide Software Licensed for use by Richardson High School

	Pre-AP Pre-Cal	Derivative Quiz Review	Seaman	5/3/2012
Answer List				
1. a	6	2. b	3.	c
4. b	ţ	5. c	6.	b
7. b	8	8. b	9.	\mathbf{a}
10. b		11. b	12.	b
13. b		14. c	15.	c
16. d	-	17. c		
Catalog List				
1. APC DA 7		2. APC DA 17	3.	APC CB 13
4. APC DA 3	ţ	5. APC CB 10	6.	APC DC 2
7. APC DC 12	8	8. APC DD 3	9.	APC DD 4
10. APC DD 10		11. APC DD 16	12.	APC DI 1
13. APC DI 2 16. APC DI 17		14. APC DI 9 17. APC EC 1	15.	APC DI 11
10. 11 0 DI 11	-			